



SSECO

SSPRIME

SSPRO

SSMAX

MICROPIPETTE SINGLE CHANNEL

Email: sscientifique@gmail.com  +91-7347707507

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SSECO



MICROPIPETTE SINGLE CHANNEL

Email:.. sscientifique@gmail.com  **+91-7347707507**

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSECO-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSECO-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSECO-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSECO-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSECO-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSECO-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSECO-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSECO-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSECO-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSECO-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l 2 μ l 2.5 μ l 5 μ l 10 μ l 20 μ l 25 μ l 50 μ l 100 μ l 200 μ l
 250 μ l 400 μ l 500 μ l 1000 μ l 2500 μ l 5000 μ l 10000 μ l

FEATURES:-

Adjustable Volume Micropipettes with Semi Autoclavable:-

- Economic design frivolous weight and soft plunger movement provides comfort and reduces hand fatigue.
- Easy volume setting by simply spinning the plunger.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SSPRIME



MICROPIPETTE SINGLE CHANNEL

Email:.. sscientifique@gmail.com  **+91-7347707507**

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSPRIME-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSPRIME-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSPRIME-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSPRIME-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSPRIME-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSPRIME-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSPRIME-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPRIME-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPRIME-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSPRIME-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l 2 μ l 2.5 μ l 5 μ l 10 μ l 20 μ l 25 μ l 50 μ l 100 μ l 200 μ l
 250 μ l 400 μ l 500 μ l 1000 μ l 2500 μ l 5000 μ l 10000 μ l

FEATURES:-

Adjustable Volume Micropipettes with Autoclavable Tip Cone:-

- Click-stop digital systems, click sound at each increment during volume setting ensures no superfluous volume variation during pipetting.
- Strong & latest design, glossy shining look, frivolous weight and soft plunger movement provides conform and reduces hand fatigue.
- Use for long life & easy tip ejecting technology.
- Ultimate for genetics & biotech application, tissue culture cellular & molecular biology laboratories, hospital, quality control & research labs.
- Easy volume setting by simply spinning the plunger.
- Easy and smooth, operation does not rip up hand gloves.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check.

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SSPET



MICROPIPETTE SINGLE CHANNEL

Email:. sscientifique@gmail.com  **+91-7347707507**

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSPET-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSPET-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSPET-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSPET-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSPET-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSPET-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSPET-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPET-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPET-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSPET-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l 2 μ l 2.5 μ l 5 μ l 10 μ l 20 μ l 25 μ l 50 μ l 100 μ l 200 μ l
 250 μ l 400 μ l 500 μ l 1000 μ l 2500 μ l 5000 μ l 10000 μ l

FEATURES:-

Adjustable Volume Micropipettes with Autoclavable Tip Cone:-

- Economic design frivolous weight and soft plunger movement provides comfort and reduces hand fatigue.
- Easy volume setting by simply spinning the plunger.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SSPRO



MICROPIPETTE SINGLE CHANNEL

Email:.. sscientifique@gmail.com  **+91-7347707507**

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSPRO-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSPRO-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSPRO-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSPRO-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSPRO-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSPRO-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSPRO-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPRO-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSPRO-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSPRO-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l 2 μ l 2.5 μ l 5 μ l 10 μ l 20 μ l 25 μ l 50 μ l 100 μ l 200 μ l
 250 μ l 400 μ l 500 μ l 1000 μ l 2500 μ l 5000 μ l 10000 μ l

FEATURES:-

Adjustable Volume Micropipettes with Autoclavable Tip Cone:-

- Click-stop digital systems, click sound at each increment during volume setting ensures no superfluous volume variation during pipetting.
- Strong & latest design, glossy shining look, frivolous weight and soft plunger movement provides conform and reduces hand fatigue.
- Use for long life & easy tip ejecting technology.
- Ultimate for genetics & biotech application, tissue culture cellular & molecular biology laboratories, hospital, quality control & research labs.
- Easy volume setting by simply spinning the plunger.
- Easy and smooth, operation does not rip up hand gloves.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check.

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SS MAX

Fully Autoclavable



MICROPIPETTE SINGLE CHANNEL

Email:.. sscientifique@gmail.com

+91-7347707507

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Fully Autoclavable

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSMAX-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSMAX-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSMAX-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSMAX-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSMAX-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSMAX-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSMAX-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSMAX-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSMAX-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSMAX-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l	2 μ l	2.5 μ l	5 μ l	10 μ l	20 μ l	25 μ l	50 μ l	100 μ l	200 μ l
	250 μ l	400 μ l	500 μ l	1000 μ l	2500 μ l	5000 μ l	10000 μ l		

FEATURES:-

Adjustable Volume Micropipettes with Autoclavable Tip Cone:-

- Click-stop digital systems, click sound at each increment during volume setting ensures no superfluous volume variation during pipetting.
- Strong & latest design, glossy shining look, frivolous weight and soft plunger movement provides conform and reduces hand fatigue.
- Use for long life & easy tip ejecting technology.
- Ultimate for genetics & biotech application, tissue culture cellular & molecular biology laboratories, hospital, quality control & research labs.
- Easy volume setting by simply spinning the plunger.
- Easy and smooth, operation does not rip up hand gloves.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check.

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier

Model : SSFA

Fully Autoclavable



MICROPIPETTE SINGLE CHANNEL

Email:.. sscientifique@gmail.com



+91-7347707507

Scientific & Laboratory Instruments Manufacturer & Supplier

VARIABLE VOLUME PIPETTES

Fully Autoclavable

Cat. No.	Volume μ l	Increment	Inaccuracy %
SSFA-V10	0.5 - 10 μ l	0.1	$\pm$ 5.0 - 1.0
SSFA-V20	2 - 20 μ l	0.1	$\pm$ 4.0 - 2.0
SSFA-V50	5 - 50 μ l	1.0	$\pm$ 2.5 - 1.4
SSFA-V100	10 - 100 μ l	1.0	$\pm$ 2.0 - 1.5
SSFA-V200	20 - 200 μ l	1.0	$\pm$ 2.0 - 1.5
SSFA-V500	50 - 500 μ l	10.0	$\pm$ 2.0 - 1.5
SSFA-V1000	100 - 1000 μ l	10.0	$\pm$ 1.5 - 1.2
SSFA-V5000	500 - 5000 μ l	10.0	$\pm$ 1.5 - 1.2
SSFA-V5000	1000 - 5000 μ l	100.0	$\pm$ 1.5 - 1.2
SSFA-V5000	1000 - 10000 μ l	100.0	$\pm$ 1.5 - 1.2

FIX VOLUME

1 μ l	2 μ l	2.5 μ l	5 μ l	10 μ l	20 μ l	25 μ l	50 μ l	100 μ l	200 μ l
	250 μ l	400 μ l	500 μ l	1000 μ l	2500 μ l	5000 μ l	10000 μ l		

FEATURES:-

Adjustable Volume Micropipettes with Autoclavable Tip Cone:-

- Click-stop digital systems, click sound at each increment during volume setting ensures no superfluous volume variation during pipetting.
- Strong & latest design, glossy shining look, frivolous weight and soft plunger movement provides conform and reduces hand fatigue.
- Use for long life & easy tip ejecting technology.
- Ultimate for genetics & biotech application, tissue culture cellular & molecular biology laboratories, hospital, quality control & research labs.
- Easy volume setting by simply spinning the plunger.
- Easy and smooth, operation does not rip up hand gloves.
- Companionable with all major make of tips.
- Accuracy and precision both are guaranteed.
- Autoclavable tip cone. (Partially Autoclavable).
- Each pipette has a calibration report, ensure pre-dispatch quality check.

1 Year Warranty for Manufacturing defects. (T.C. Apply)

Scientific & Laboratory Instruments Manufacturer & Supplier